

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	13	((correct\$3 adjust\$3 rectif\$4 compensat\$3) near6 (bias near2 voltage)) same ((determin\$3 decid\$3 judg\$3 conclud\$3 assess\$4) near6 ((exceed\$3 beyond above below) near2 (range threshold)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:54
L3	2577	((correct\$3 adjust\$3 rectif\$4 compensat\$3)) with ((determin\$3 decid\$3 judg\$3 conclud\$3 assess\$4) near6 ((exceed\$3 beyond above below) near2 (range threshold)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:55
L4	11035	(determin\$3 decid\$3 judg\$3 conclud\$3 assess\$4) near6 (humidity humidifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:56
L5	7	L3 same L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:56

L6	7	((correct\$3 adjust \$3 rectif\$4 compensat\$3) near6 (bias near2 voltage)) and (humidity humidifier)) and ((determin\$3 decid \$3 judg\$3 conclud \$3 assess\$4) near6 ((exceed\$3 beyond above below) near2 (range threshold)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 13:00
L7	63	((determin\$3 decid \$3 judg\$3 conclud \$3 assess\$4) near6 ((exceed\$3 beyond above below) near2 (range threshold))) same ((determin\$3 decid \$3 judg\$3 conclud \$3 assess\$4) near4 (humidity))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 13:29
L8	19	L7 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 13:29
L9	3	((determin\$3 decid \$3 judg\$3 conclud \$3 assess\$4) with ((exceed\$3 beyond above below) near2 (range threshold)) with (bias volt\$3)) same ((determin\$3 decid \$3 judg\$3 conclud \$3 assess\$4) near4 (humidity))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 13:47

L10	16	((determin\$3 decid \$3 judg\$3 conclud \$3 assess\$4) with ((exceed\$3 beyond above below) near2 (range threshold))) same ((determin\$3 decid \$3 judg\$3 conclud \$3 assess\$4) near4 (humidity))).cm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 13:49
S50	49	(developer near4 (precipitation aggregation)) and ((measure\$3 determin\$3) near3 time)	US-PGPUB; USPAT	OR	OFF	2009/03/31 13:44
S51	15	("3634007" "4314755" "4727385" "4733270" "4853743" "4888618" "5028954" "5034772" "5148218" "5291253" "5311256").PN. OR ("5539500").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/31 16:32
S52	74	((correct\$3 adjust \$3 rectif\$4 compensat\$3) near6 (bias near2 voltage)) same (humidity humidifier)	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2009/07/01 09:48
S53	97	((correct\$3 adjust \$3 rectif\$4 compensat\$3) near6 (bias near2 voltage)) same (humidity humidifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 09:49

7/1/2009 1:51:18 PM

C:\Documents and Settings\rzhu\My Documents\EAST\Workspaces\10547338.wsp